

# COMPANY PROFILE



The company have been operates for 20 years, the business has established in 1992 Company mainly focuses on the quality of products and services. Including procuring products quickly and service operations in the form of sales.

The company operates a business which selling a variety of products, such as various types of trolley wheels (rubber wheels, braking rubber wheels, steel wheels, urethane wheels and etc.), oil absorbing powder, oil absorbing pad, oil absorbing pad rolls type, brown masking tape, plastic hooks with pins, Loctite glue, oil pens, feature board, thinner, car paint, VCT wires, eagle male plug, Noren Tag production, Tool bags and others.

Currently, the company operates business for a long time which make the company have experience in product and also expertise in product. This makes the company get trusted and has a customer base. The company still maintains the quality and service follow standards until present. Company have developed or extended to matching with present by open new ways to purchase which is company website "www.tspsupplythailand.com" for easily ordering and can see the picture of the product correctly and clearly to meet the needs of customer









2

Trolley caster

3

Stationery and sticky tape

4

Spare parts and tools

5

**Power Tools** 

6

Equipment

7

Miscellaneous products







# Rubber Wheel









Rubber Wheel Fix











Rubber Wheel Spring Fix



Urethane Wheel Fix



Urethane Wheel Spring Fix



# RUBBER WHEEL



#### Rubber Wheel Free

Is a rubber wheel with pad and rotating wheel which use in factory and industry that needs to support more weight than conventional trolley wheel.. It can be used in rough areas and reduces sound when carrying goods on the cart

#### **Rubber Wheel Fix**

is a rubber wheel without pad that can not rotate which use in factory and industry that needs to support more weight than conventional trolley wheel. It can be used in rough areas and reduces goods on the cart

Spec	size	Weight support (Kg.)
Free	6″	550
Fix	6″	550
Free	8″	450
Fix	8″	450



Rubber Wheel Free ล้อยางแบบเป็น



•Rubber Wheel Fix ล้อยางแบบตาย

# RUBBER WHEEL SPRING

#### **Rubber Wheel Spring Free**

is a rubber wheel with pad and rotating wheel which use in factory and industry that needs to support more weight than conventional trolley wheel.. It can be used in rough areas and reduces sound when carrying goods on the cart

#### **Rubber Wheel Spring Fix**

is a rubber wheel without pad that can not rotate which use in factory and industry that needs to support more weight than conventional trolley wheel.. It can be used in rough areas and reduces goods on the cart

Spec	Size	Weight support (Kg.)
Free	8″	450
Fix	8″	450
Free	12″	800
Fix	12″	800





Rubber Wheel Spring Fix

# URETHANE WHEEL

#### **Urethane Wheel Free**

is a rubber wheel with pad and rotating wheel which use in factory and industry that needs to support more weight than conventional trolley wheel. It can be used in rough areas and reduces sound when carrying goods on the cart

#### **Urethane Wheel Fix**

is a rubber wheel without pad that can not rotate which use in factory and industry that needs to support more weight than conventional trolley wheel. It can be used in rough areas and roduces goods on the cart

rough areas	and	reduces	goods	on	the	cart
-------------	-----	---------	-------	----	-----	------

Spec	Size	Weight support (Kg.)
Free	5″	400
Fix	5″	400
Free	6″	500
Fix	6″	500





**Urethane Wheel Free** 

Urethane Wheel Fix

# **URETHANE WHEEL SPRING**



#### **Urethane Wheel Spring Free**


is a rubber wheel with pad and rotating wheel which use in factory and industry that needs to support more weight than conventional trolley wheel. It can be used in rough areas and reduces sound when carrying goods on the cart

#### **Urethane Wheel Spring Fix**

is a rubber wheel without pad that can not rotate which use in factory and industry that needs to support more weight than conventional trolley wheel. It can

be used in rough areas and reduces goods on the cart

Spec	Size	Weight support (Kg.)
Free	5″	300
Fix	5"	300
Free	6″	350
Fix	6″	350
Free	8″	400
Fix	8″	400



# R300 Free pad - Fix pad



mm.	ln.	Kg/pc	MM.	MM.	MM.
75	3	300	110	110x85	80x55
100	4	300	130	110x85	80x55
125	5	300	158	110x85	80x55
150	6	400	198	140x100	110x80
200	8	400	198	140x100	110x80



# R500 Free pad - Fix pad

mm.	ln.	Kg/pc	MM.	MM.	MM.
75	3	500	120	120x90	80x60
100	4	500	145	140x110	110x80
125	5	600	175	140x110	110x80
150	6	600	200	140x110	110x80
200	8	800	255	160x140	120x85

## **STOPPER**

Model	H1 Down	H2 Up	S	AxB size on board	Distance b/w nut hole	Use with Dai wheel
900-2	130	150	20	120x120	90x90	3″-4″
900-3	140	175	35	120×120	90x90	5″
900-4	130	150	20	120x120	90x90	3″-4″



# **TOOLS BAG**

PVC leather covered with tarpaulin that protect tearing from storing tool Tools bag is lightweight and Suitable for wearing tools when working to avoid scratching the workpiece.







• 1 channel

4 channel

5 channel







**TOOLS BAG 1 channel**For storing tools with 1 channel



TOOLS BAG 4 channel
For storing tools with 4 channel




**TOOLS BAG 5 Storage**For storing tools with 5 channel

# **SPATULA**

# Poly-urethane grade A spatula

Polyurethane spatula is made from premium grade of polyurethane. It can be used for a long time. It can be grinded until use for all of spatula. It helps to reduce work steps which faster and more conveniently. It have highly flexible but depends on the hardness that the customer selected. Company has a hardness samples from A20-A80 which be able to produce as the customer need.



Code	SIZE	
UT001	50.5 mm. x 80 mm. x 5 mm. thickness A90	
UT002	65 mm x 95 mm x 5 mm. thicknessA90	
UT003	40 mm x 200 mm x 10 mm. thickness A90	
UT004	150 mm x 150 mm x 12 mm. thickness A90	

# NOREN TAG





NOREN TAG TOO1: 11.5x13.5 cm Hun 0.18 cm 2-layer case with 2 cm. masking tape, soft texture




NOREN TAG TOO3
: 2.8x10.5 cm (Include edge)
Head extending kanban case
with 1 hole punch



: 11.5x21 cm (Include edge) thickness 0.25 mm 2 pump and extend head ,top


**NOREN TAG TOO4** 

2 pump and extend head ,top right opening, bottom long opening on rear with 2 eyelets



**NOREN TAG TO05** 


: 8x8 cm



#### **NOREN TAG TOO7**

: 4 x 22 cm (Include edge) thickness 0.25 mm


White clear kanban case with trapezoid punch



#### **NOREN TAG TO09**

:6 x 13 cm thickness 0.25 mm

Plastic case



#### **NOREN TAG TO11**

#### :16.5x8.5 cm Hun 0.25 mm

Clear case in front with short opening, 7.5x14. cm. Half-circle punch with 1 strap in the middle, sew7.5x4 cm. hook-and-loop including edge.



#### **NOREN TAG T014**

#### :9x20.5 cm thickness 0.25 mm

Clearly plastic kanban case with zip and eyelet. Head extend 1.1 cm, inner



#### **NOREN TAG TO16**

#### :180x250 mm thickness0.40 mm

Super clear case , inner opening 180mm, edge thickness 3 mm



#### **NOREN TAG TO12**

## Super clears case / perennially mount case

:130x200 mm thickness 0.40 mm Inner opening: 130 mm with 3 mm. thickness : 220 x 280 mm Inner opening 280 mm



#### **NOREN TAG TO15**

:11.5x21 cm thickness 0.25 mm (Include edge)
Kanban case with 2 pump and extend head ,
opening on the right, both top and bottom, with
2 eyelets



#### **NOREN TAG TO18**

#### :12.2 x 23 cm thickness 0.25 mm


Case with head extend over in front edge, height 10 cm , open on long side



#### **NOREN TAG T019**

#### :11.7x9x0.40 cm


Clearly open plastic case, on long side with 3 width 0.18 mm masking tape that stick on channel length



#### **NOREN TAG TO22**

#### : 15.1 x 12.2 CM thickness 0.25 MM


Clearly plastic case with 4 storage and 2 hook-and-loop attachments



#### **NOREN TAG TO28**

#### : 16.2 x 11.4 cm

Symbol cover case with 2 hook-and-loop attachments.



#### **NOREN TAG TO20**

#### :21.5x2 cm thickness 0.27 MM

Clear plastic case with 4 storages

- (1) with 2 hook-and-loop attachments
- (2) Change from hook-and-loop attachments as 2 buttons



#### **NOREN TAG TO23**

#### : **20.6 x 11 cm** (รวมขอบ)

Zip case with 1 eyelet




#### **NOREN TAG TO36**

#### : 20.2 x 14.8 CM

Open case on long side, no zip, 2 side eyelets









#### Hammer caster

#### Hammer caster 120-150 Kg.

Sell rubber wheels and polyurethane wheels. (Both free and fix pad )

Code 420S – free pad Code 420SR – Fix pad

#### Hammer caster 240-300 Kg.

Suitable for moderate weight and installation with machinery in the industrial factory or equipment that requires a lot of weight

Code 520S - Free pad Code 520SR - Fix pad



## อะไหล่ ลูกล้อตราค้อน Spare parts of hammer caster

#### **Hammer-Lock**

#### Weight support 120-150 Kg.

Available in 2 sizes:

4 inches, used with 100 mm wheels: 6 inches, used with 150 mm wheels

- Manufactured from quality raw materials: special tough steel
- strong, durable, accurate mechanics design
- strong locking system and able to use more than 20,000 times



# TROLLEY CASTER

# HAMMER caster 120—150 kg. (Conductive caster)







Model	Caster type	mm	kg	mm	mm	mm	mm	mm	mm				
420S 420SR 413S	RB rubber caster with bearing UB Poly-urethane	100	100 100	32	10.2	132	Rotate and brake pad 68x68	Rotate and brake pad 90x90	11				
	caster with bearing						Fix pad 80x45	Fix pad 110x78					
420S 420SR 413S	RB rubber caster with bearing UB Poly-urethane caster with bearing	125	130 130	38	12.2	168	Rotate and brake pad 75x75	Rotate and brake pad 102x102	11				
4155	caster with bearing										Fix pad 100x56	Fix pad 140x94	
420S 420SR	RB rubber caster with bearing UB Poly-urethane	150	150 150	40 38	12.2	190	Rotate and brake pad 75x75	Rotate and brake pad 102x102	11				
413S	caster with bearing		.55				Fix pad 100x56	Fix pad 140x94					

# HAMMER caster 240-300 kg. (For moderate work)







Model	Caster type	mm	kg	mm	mm	mm	mm	mm	mm
520S 513S 520SR	RB rubber caster with bearing NRB nylon caster with bearing UB Poly-urethane caster with bearing	125	240	44 50 44	12.2	171	Rotate and brake pad 100x100 Fix pad 112x63	Rotate and brake pad 140x140 Fix pad 150x105	13
520S 513S 520SR	RB rubber caster with bearing NRB nylon caster with bearing UB Poly-urethane caster with bearing	150	300	46 50 46	12.2	196	Rotate and brake pad 100x100 Fix pad 112x63	Rotate and brake pad 140x140 Fix pad 150x105	13
420S 420SR 413S	RB rubber caster with bearing NRB nylon caster with bearing UB Polyurethane caster with bearing	150	150 150	40 38	12.2	190	Rotate and brake pad 75x75 Fix pad 100x56	Rotate and brake pad 102x102 Fix pad 140x94	11



#### **Hammer Lock**

Model	Size (mm.)	Suitable height (mm.)	H1 (mm) Height when locking	H2 (mm.) Height when unlocking	S (mm.) Up- down distance	Pad size (mm.)	L (mm.) Pedal length	h (mm) Height range	Product weight (mm.)	Carryin g weight (mm.)
900-2	100	142	150	125	25	85x85 100x1 00	138	7	1.6	200
900- 4	150	202	210	170	40	85x85 100x1 00	146	15	1.8	300



#### **Rubber Caster**

- Manufactured from good quality synthetic rubber which durable and highly flexible. Can be use on all surface.
- 3mm thick steel frame, Tearing prevention.
- There are bearings in caster which help to have good movement and protects against heat from caster grating during operation
- Can support weight as specified in the specification



#### Rotate pad

mm.	ln.	Kg/pc	mm.	mm.	mm.	mm.	contain
75	3	300	50	105x85	80x60	7.5	20
100	4	300	128	105x85	80x60	9	30
125	5	300	150	105x85	80x60	9	37.5
150	6	400	185	135x105	105x80	11	40

#### Fix pad

mm.	ln.	Kg/pc	mm.	m.	mm.	mm.	contain
75	3	60	50	105x85	80x60	7.5	20
100	4	90	128	105x85	80x60	9	30
125	5	100	150	105x85	80x60	9	37.5
150	6	145	185	135x105	105x80	11	40

#### Rotate and brake pad

mm.	ln.	Kg/pc	mm.	mm.	mm.	mm.	contain
75	3	60	50	105x85	80x60	7.5	20
100	4	90	128	105x85	80x60	9	30
125	5	100	150	105x85	80x60	9	37.5
150	6	145	185	135x105	105x80	11	40



## **Poly-Urethane Caster**

- Manufactured from 100% authentic poly-urethane
- Can be used on all surfaces especially wet areas or mixed oil area
- 3mm thick steel frame, Tearing prevention.
- Resistant to chemical or oil corrosion
- Can support weight as specified in the specification



#### R300 Free pad – Fix pad

mm.	ln.	Kg/pc	mm.	mm.	mm.	mm.	contain
75	3	300	110	110x85	80x55	75	3
100	4	300	130	110x85	80x55	100	4
125	5	300	158	110x85	80x55	125	5
150	6	400	198	140x100	110x80	150	6
200	8	400	198	140x100	110x80	200	8

### • R500 Free pad – Fix pad

mm.	ln.	Kg/pc	mm.	mm.	mm.	mm.	contain
75	3	500	120	120x90	80x60	75	3
100	4	500	145	140x110	110x80	100	4
125	5	600	175	140x110	110x80	125	5
150	6	600	200	140x110	110x80	150	6
200	8	800	255	160x140	120x85	200	8



# STATIONERY AND STICKY TAPE



## STATIONERY AND STICKY TAPE



**Marvy Marker** 

MAVY Marker No.728 size 2.2-2.8 mm. MAVY Marker No.221 size 0.8-1.2 mm.



#### **Uni Paint Pen**

Uni PAINT PX-21 size 0.8-1.2 mm. Uni PAINT PX-20 size 2.2-2.8 mm. Uni PAINT PX-30 size 4.0-8.5 mm.



### Sticky tape

**Brands NITTO TAPE, KOLA TAPE, LOUIS** , TIP TAPE , KIKUSUI



Cutter knife TAJIMA LC 501



Cutter knife NT Cutter A300RP



NT cutter blade BD-100 5 × 10 (50 blades)



Mitsubishi Crayon



Note pad STICK'N Sticky note POST-IT 3M





JUMBO White BOARD MARKER-B

Monami Jumbo White Board

Stamp ink Brand Horse No.2



Striping Tape White-Black Yellow-Black size 4" x 33M. LION



Colored Pencil



PP Board



Scotch 3M magic tape #810



# Spare parts and tools



# SPARE PARTS AND TOOLS



**KINIK Cutting blade** 













Swiss Tools PB215L



Long Nose Pliers
 Keiba Tool T-316S





Rivet pliers



• Grinding of cemented carbide



• • Wool paint brush

# SPARE PARTS AND TOOLS



 Ring wrench KINGSLEY size 10, 12, 13, 14, 17, 19



Screwdriver bits



Drill bit NACHI



LAN cable head reiterated pliers



Cutting tools



Measuring Tape 3.5m/5m KDS



• Hand drill battery BOSCH



Wetordry sandpaper



 Brass Hand Brush Straight Handle Anchor Brand



- Grinding stone, grinding blades Kinik
- Grinding stone, grinding blades- Makita



- Black screw
  - Black bolts

Socket Cap Screw



# Power Tools





# POWER TOOLS



 Wood cutting jigsaw MAKITA 4350CT



• Electric drill



Cordless drill KOBE




Hand grinding



Extension Real Socket



Light bulbs



Power toolsBrand Bosch/ Makita

Such as grinders, drills, saws, cutters, carbon brushes, etc.



# Equipment



# **EQUIPMENT**





















Stainless Nipple Grade 304



Union Stainless Grade 304





Galvanized Steel Grade 304



- BARING
- Brand SKF
- Brand FAG
- Brand KOYO
- Brand NTN



- Pipe fittings, valves such as
- PE Pipe/ EMT Pipe/ Gas Pipe / Air Pipe / Syler Pipe etc.
- All kinds of on-off valves including air valve, water valve, gas valve
- Elbow connector for all types of plumbing work



# MISCELLANEOUS **PRODUCTS**











Acrylic sheet assorted colors
 Fabric color

selection

Plastic roll

Black foam










key chain

Pallet wrapping film 15MC
 LOCTITE Glue #401

Glove









- Made to order garbage bags in all sizes and colors
- Made to order PP plastic bag in all sizes

Oil absorbing pad



# T.S.P. SUPPLY CO., LTD.



- Q 02-380-2934-5 fax : 02-380-2936
- tsp\_center@tspsupply.co.th
- www.tspsupplythai.com
- ★ 529 Moo. 4, T.Teparak , A.Muang Samutprakan 10270

